



UPC Code: 078477682609

Country Of Origin: United States

5601-2AW

Decora Antimicrobial Treated Single Pole Switch

15 Amp 120/277 Volt Single Pole Antimicrobial Treated Decora Switch - White

- PROTECT Helps create a cleaner home environment by helping to keep switch and wallplate surfaces cleaner
- PREVENT Highly effective in protecting the surface of the device from the growth of mold, mildew, fungi and odor-causing bacteria in between normal cleanings
- CONVENIENT Replaces any standard single-pole switch; controls light(s) from one location
- COMPATIBLE Use both antimicrobial treated switch and wallplate for complete coverage

Technical Information

Product Features
Amperage: 15 A
Color: White

Device Type : Rocker Switch Feature : Antimicrobial Grade : Residential

Grounding: Self-Grounding **HP Rating**: 1/2HP-120V 2HP-240V-

277V **Pole**: 1

Voltage: 120/277 VAC

Material Specifications

Body Material: Thermoplastic Rocker: Thermoplastic with Antimicrobial additive Strap Material: Steel

Terminal Accom.: Side and Back wiring accept up to #12 AWG copper or copper-clad wire, Quickwire push-in terminals accept #14 AWG solid copper

wire only

Termination: Back wire, Side wire or

Quickwire

Torque Range: 14-18 inch pounds

Standards & Certifications

JIS Z 2801:2000 : Test for Antimicrobial

Activity and Efficacy

Standards and Certifications : UL/CSA

Warranty


Warranty: 2-Year Limited

Features and Benefits

- Helps create a cleaner home environment by helping to keep switch and wallplate surfaces cleaner
- Antimicrobial properties are highly effective in protecting the surface of the device from the growth of mold, mildew, fungi and odor-causing bacteria in between normal cleanings
- Inhibits discoloration, staining, deterioration and corrosion of the device surface <u>caused by mold, mildew, fungi and odor-causing bacteria</u>
- Material used in Leviton residential antimicrobial devices has been tested to the international standard ISO 22196:2011
- Use both antimicrobial treated switch and wallplate for complete coverage

- Ideal for all rooms throughout the home (bathrooms, hallways, entryways, and kitchens)
- Same look and feel as traditional switches and wallplates
- For single pole and 3-way applications; white color only
- Replaces any standard single-pole/3-way switch
- Features Quickwire push-in, back and side wiring for easy installation
- Quickwire push-in terminals accept #14 AWG solid copper wire only
- Back and side wire terminal screws accept up to #12 AWG copper or copper clad
- Full-rated current capacity with tungsten, fluorescent or resistive loads. Motor load capacity is 80% of switch rating
- Coordinating Decora Antimicrobial Treated Wallplates are available in 1-gang, 2gang and 3-gang configurations, white color only
- Complements every décor
- Made in USA
- Limited 2-year warranty
- CAUTION: To clean use a damp cloth with mild soap. DO NOT use disinfecting products, including foggers, sprays, or other types of atomized cleaning agents
- California residents see Prop 65 WARNINGS

Dimensional Diagram



SPECIFICATION SUBMITTAL

JOB NAME:	CATALOG NUMBERS:
JOB NUMBER:	

Leviton Manufacturing Co., Inc.

201 North Service Road, Melville, NY 11747

Telephone: +1-800-323-8920 \cdot FAX: +1-800-832-9538 \cdot Tech Line (8:30AM-7:30PM E.S.T. Monday-Friday): +1-800-824-3005

Leviton Manufacturing of Canada, Ltd.

165 Hymus Boulevard, Pointe Claire, Quebec H9R 1E9 · Telephone: +1-800-469-7890 · FAX: +1-800-824-3005 · www.leviton.com/canada

Leviton S. de R.L. de C.V.

Lago Tana 43, Mexico DF, Mexico CP 11290 · Tel.: (+52)55-5082-1040 · FAX: (+52)5386-1797 · www.leviton.com.mx

Visit our Website at: www.leviton.com

© 2021 Leviton Manufacturing Co., Inc. All Rights Reserved. Subject to change without notice.

Leviton has a global presence.

If you would like to know where your local Leviton office is located please go to: www.leviton.com/international/contacts/

